

Model	A/V RECEIVERI	MPC
AVC-A1XVA	170 W x 10, THX Ultra2 Certificate, 6 x Optical In, 6 x Coax In, Denon Link, 9.1 PRE OUTS, Room EQ, AL24 Processing, Multi Room, DDSC Digital, Dolby Digital EX, Dolby Pro Logic II, DTS NEO6, Audyssey MultEQ XT, DCDi by Faroudja, NSV, HDMI, DVI-D, Dolby Headphone, Cinema EQ, Backlight Soft Touch Remote Control, 44 kg. "GOD OF THUNDER" WHAT HI-FI? 2005	DEMO 27,500.00 AKCIJA
AVR-4308	DAB - HD Network Wi-fi 7.1 AV receiver - High Definition Sound & Vision Kao i AVR-3808 uz razlike: 11 izlaza iz pojačala za zvučnike - 4 separate AMP ASSIGN Terminals , 130W x 7ch (160W na 6ohma), Full Networking with Wi-fi & Ethernet Built-in, Up to 4 zone room-to-room capability, DAB Tuner Ultra-sensitive with all info on the GUI	16,500.00
AVR-3808	HD Audio & Video 7.1 AV receiver with Network features - High Definition Sound & Vision Kao i AVR-2808 uz razlike: 120W x 7ch , New High Current Transistor and 9 Independent Power Supplies, ALPHA Processing - AL24 Processing Plus for all channels & all Zones, Video Equalizer, Surround speaker A/B, Graphical User Interface (GUI), 4 Zone, 2 USB connections (Memory Sticks, USB-Player, USB-HDD*, MP3, WMA, WMA (DRM), AAC (bez DRM), FLAC, WAV), Internet Radio (MP3, WMA) za oko 7000 stanica, Music streaming from PC & Mac , Web Control (with Internet browser), Remote diagnosis, update and upgrade, Photo streaming (JPEG), PC setup and control via Ethernet, Stunning new photo-real Graphical User Interface, Denon Link (SACD-ready), 4 HDMI Inputs, OSD for Zone2, Two remote controls for Main and Sub Zones.	10,599.00
AVR-2808	Kao i AVR-2308 uz razlike: New lossless audio formats Dolby True HD and DTS-HD Master Audio decoders, 110W x 7ch, AL24 processing plus provides more dynamic range and improves low level sound details, 9 izlaza za 3 zone (Zona2/Zona3), Dual New 32bit floating point DSP, D.D.S.C. HD Digital-Circuit , Audyssey MultEQ XT with Advanced Low Frequency Correction (ALFC) , New Video D/A Converter: 216 MHz / 12-bit (ADV7320) , two remotes - EL backlit learning and standard pre-programmed types, Dolby True-HD and DTS-HD , Zone2 video control	7,890.00
AVR-2308	Kao i AVR-1908 uz razlike: 100W x 7ch (135W na 6ohma), Faroudja chip FLI2310 takes care of Progressive Mode and video upscaling for all analogue picture signals up to 1080p (Full HD video scaling) , additional 2 separate power amp terminals (za razliku od 1508,1708 i 1908 ima 9, ne samo 7 izlaza iz pojačala za zvučnike - moguće imati konfigurirano ukupno različite 3 zone), highly stable power supply unit with three separate transformers, ActiveBi-directional communication with the RC-7000CI/7001RCI via the serial port (RS-232C)	4,699.00
!!! NOVO!!! AVR-2309	Kao i AVR-1909 uz razlike: 100W x 7ch (135W na 6ohma), Faroudja chip FLI2310 takes care of Progressive Mode and video upscaling for all analogue picture signals up to 1080p (Full HD video scaling) , additional 2 separate power amp terminals (za razliku od 1508,1708 i 1908 ima 9, ne samo 7 izlaza iz pojačala za zvučnike - moguće imati konfigurirano ukupno različite 3 zone), highly stable power supply unit with three separate transformers, ActiveBi-directional communication with the RC-7000CI/7001RCI via the serial port (RS-232C)	5,590.00
AVR-1908	Kao i AVR-1708 uz razlike: 85W x 7ch (8ohm) , On screen display via HDMI, HDMI video conversion from Component video, Audio-signal processing - HDMI-Repeater, Pre-Amplifier Outputs L/C/R/SL/SR/SBL/SBR/Sub	2,999.00
!!! NOVO!!! AVR-1909	Kao i AVR-1709 uz razlike: HD Video and Audio, HD DTS, 85W x 7ch (8ohm) , On screen display via HDMI, HDMI video conversion from Component video, Audio-signal processing - HDMI-Repeater, Pre-Amplifier Outputs L/C/R/SL/SR/SBL/SBR/Sub	2,999.00
AVR-1708	Kao i AVR-1508 uz razlike: Video A/D & D/A 10-bit -> Video conversion (Video Up conversion capable of output to component port), 100MHz component video switching, Latest version Mult EQ (New tower type microphone for more accurate measuring, Maximum six points measurements, New filtering ALFC(Adaptive Low Frequency Correction)for higher resolution processing in low frequency band), Assignable power amp - Surround Back L/R to Bi-Amping(Front A, Front B)	2,490.00
!!! NOVO!!! AVR-1709	Kao i AVR-1509 uz razlike: HD Video and Audio, Video A/D & D/A 10-bit -> Video conversion (Video Up conversion capable of output to component port), 100MHz component video switching, Latest version Mult EQ (New tower type microphone for more accurate measuring, Maximum six points measurements, New filtering ALFC(Adaptive Low Frequency Correction)for higher resolution processing in low frequency band), Assignable power amp - Surround Back L/R to Bi-Amping(Front A, Front B)	2,970.00
AVR-1508	Deep Color 30/36 bits color depth and xvYCC broader color space support, HDMI1.3a inputs/outputs allow to handle HD audio and video signal with higher speed, State-of-the-art Denon Solutions for Maximising Content Quality, Identical quality and power for all 7 channels, 75W x 7ch - 8ohm(110W - 6ohm) , Compressed Audio Restorer , Denon's new audio technology for MP3/WMA/AAC compressed format to reproduce higher frequency range and deeper bass sound, This new audio technology provides better sound for iPod, HD Video Circuit, Discrete and latest devices for ultimate HD video performance in each block, New Chassis Construction for clear audio and video signal, Minimum signal path, Direct Mechanical Ground for stable drive, Separate unit design, Digital Media Connectivity iPod® audio, photo and video playback (optional ASD product family), Ease-of-Use, Auto set-up and Room EQ , featuring MultEQ from Audyssey , New back panel layout, 2 Sources and Zone Capability , formati: Dolby Digital EX / Dolby Digital / Dolby Pro Logic IIX, DTS-ES / DTS 96/24 / DTS Neo:6 / DTS	1,999.00

!!! NOVO!!! AVR-1509	The Latest HD Audio and Video Support, Deep Color 30/36 bits color depth and xvYCC broader color space support, HDMI 1.3a inputs/outputs allow to handle HD audio and video signal with higher speed, State-of-the-art Denon Solutions for Maximising Content Quality, Identical quality and power for all 7 channels, 75W x 7ch - 8ohm(110W - 6ohm) , Compressed Audio Restorer , Denon's new audio technology for MP3/WMA/AAC compressed format to reproduce higher frequency range and deeper bass sound, This new audio technology provides better sound for iPod, HD Video Circuit , Discrete and latest devices for ultimate HD video performance in each block, New Chassis Construction for clear audio and video signal, Minimum signal path, Direct Mechanical Ground for stable drive, Separate unit design, Digital Media Connectivity, iPod® audio, photo and video playback (optional ASD product family), Ease-of-Use, Auto set-up and Room EQ , featuring MultEQ from Audyssey , New back panel layout, 2 Sources and Zone Capability , formati: Dolby Digital EX / Dolby Digital / Dolby Pro Logic Iix, DTS-ES / DTS 96/24 / DTS Neo:6 / DTS	2,199.00
---------------------------------	--	----------

DVD/SACD/DVD-A/DVD playeri

DVD-A1XV	DVD A/V/SACD Player, Denon Link, HDMI, DVI-D, DVDO, Teranex HQV, THX Ultra Certificate, NSV, Dolby Digital, DDSC Digital, AL 24 Processing, 19 kg "HIGHLIGHT" audivision 2005, "Referenz" HEIMKINO 2005, "HIGHLIGT" stereoplay 2005, "KAUFTIP" video 2005, "* What Hi-Fi? 2005	DEMO 14,100.00 AKCIJA
DVD-3930	Universal DVD A/V/SACD/DivX/MP3/WMA Player, HDMI - 80i,p/576i,p/720p/1080i/1080p/ Auto, Advanced AL 24 processing, Denon Link, 2x14-bit - 216Mhz Video D/A with video noise shaping,11.5 kg.	9,297.00
DVD-2930	Universal DVD A/V/SACD/DivX/MP3/WMA Player,HDMI - 480i, p/576i, p/720p/1080i/1080p/ Auto, Advanced AL 24 processing,Denon Link,2x12-bit - 216Mhz Video D/A with video noise shaping,7.6 kg.	6,030.00
DVD-1940	Universal DVD A/V/SACD/DivX/MP3/WMA Player,HDMI 1.3a - 480p/576p/720p/1080i/1080p, 2.6 kg. !NOVO!	2,430.00
DVD-1740	Universal DVD A/V/DivX/MP3/WMA Player,HDMI 1.3a - 480p / 576p / 720p / 1080i, 2.6 kg. !!! NOVO!!!	1,350.00

Home Theatre Box

S-101	Micro Compact AV System. Surround sound from just 2 Speakers and a Subwoofer, iPod input that provides control from the Denon Remote Control - iPod charger, no Docking stations needed, DVD & CD, MP3, WMA and CDR replay, 2 x 50 Watt Amp. 100 Watt Subwoofer.	DEMO 4,959.11 AKCIJA
S-302	Denon micro compact AV system.	12,240.00
S-102	Denon micro compact AV system.	6,660.00
S-52	!!! NOVO!!! U dolasku!!!	na upit
S-32	!!! NOVO!!! U dolasku!!!	na upit
ASF-S01 Stalci	Designed to use with the Denon S-101 & S-301 speakers, Silver Finish to go with both S-101 & S-301 speakers.	1,800.00
!!! NOVO !!! DHT-FS3	X-SPACE Surround System - Family-friendly Home Cinema, elegant, simple and very compact. Ideal for flat screen TVs, New X-SPACE Surround from Denon gives a wide 'sweet-spot' with wrap-around surround that works well in any room, Quick Setup Guide & simple presets, Piano black gloss finish with matching subwoofer, Just plug in a DVD Player or suitable satellite box to get digital surround sound, or use the Dolby Pro Logic II decoder to generate convincing surround from the audio of almost any TV, VCR or PVR, The cabinet contains six precision speaker drivers, six digital amplifiers and advanced DSP signal processing, Two speakers are used specifically for the all-important centre channel to deliver power and clarity, Supports Dolby Digital, DTS & Dolby Pro Logic II - with Night Mode & Dolby Headphone for late-night listening, Total power output; 150 watts, iPod use with optional Denon dock (ASD-1R), Adjustable height feet, Wall mountable with supplied accessories, Pre-programmed system 'Flip' remote (also suitable for DVD player, set-top box, TV and iPod control).	6,290.00

Mini Components

DRA-F102	Reciver 2 x 35W (8 ohm),Supports wide dynamic range playback and high-quality sound,rivalling high end amps,Power circuit to support high sound quality playback,Supports iPod playback when connected to optional docking station for iPod,analog mini-jack input for connecting a portable player,A wealth of input/output terminals,40-station FM/AM preset,Versatile timer function,easy to operate multi function remote unit,3.5 kg.	1,550.00
!!! NOVO !!! DRA- F102DAB	DAB Reciver 2 x 35W (8 ohm),Supports wide dynamic range playback and high-quality sound,rivalling high end amps,Power circuit to support high sound quality playback,Supports iPod playback when connected to optional docking station for iPod,analog mini-jack input for connecting a portable player,A wealth of input/output terminals,40-station FM/AM preset,Versatile timer function,easy to operate multi function remote unit,3.5 kg.	2,240.00
DCD-F102	CD-Player High-accuracy D/A converter,8x oversampling filter,Plays CD-RCD-RW (MP3/WMA), optical digital output terminals,Wide variety of playback functions,System wide functions for easy operation,2.9 kg.	1,350.00
RCD-M33	22Wx2 (6 ohms), CD-R,CD-RW (MP3,Windows Media Audio) playback, AM/FM Tuner, 2 line Dot Matrix Display, S.D.B. (Super Dynamic Bass), Tone Controls (Bass,Treble), Source Direct Function, Easy to use Remote Control, Headphone Jack, Subwoofer Output, Optical Digital Output Jack, Auto Edit Function, Radio Text with RDS function, Everyday/Once/Sleep Timer.	1,980.00

CX3 Series

!!! NOVO !!! DRA-CX3	High Quality Stereo Receiver. Newly-developed amplifier circuitry, for improved power and clarity in music playback, Power unit capable of responding to sudden bursts of sound, Highly precise electronic volume, Separate power supplies and ground circuits for each stage, Short Signal Path Circuitry - to suppress signal degradation, Thoroughly vibration-resistant construction, Parts strictly selected for high sound quality, MM/MC phono equaliser, Large speaker terminals made of gold plated machined brass - newly developed to also accommodate ultra-thick speaker cables, Gold plated machined brass input terminals with 18mm pitch (for CD), Slim system remote controller designed for ease of use and tasteful appearance, Built-in AM/FM tuner, Versatile connection environment for enjoying music from records- and iPod -and-various other sources.	7,191.00
!!! NOVO !!! DCD-CX3	CD/Super Audio CD Player. Newly-developed mechanism to accurately read information from the disc, AL24 Processing to dramatically enhance the music listening experience, Highly reliable DAC master clock design, Separate digital and analog transformers for stable power supply and improved music playback performance, Pure direct mode for the enjoyment of pure music, High-Accuracy D/A converter , Vibration resistant construction, Plays MP3 and WMA files resorted on CD-R/RW discs, Gold plated machined brass output terminals with 18mm pitch enabling upgrades in sound quality using high-class audio RCA pin cables, Optical digital outputs to accommodate connection of a digital recording device, slim system remote controller designed for ease of use and tasteful appearance.	7,191.00

HI-FI Integrated Amplifiers

PMA-SA1	100 W + 100 W (4 ohm), UHC-MOS, Cascade Bootstrap Connection, Simple Amplifier Stage Configuration, All Stage Balanced Amp Configuration, Inverted E Balance Circuit, High grade 50-diameter Volume Control, Sand Cast Transformer case and Capacitor holders, Robust Power Supply for each section, Precision Signal Ground Circuit, Fully independent Phono EQ amps, Chassis construction with 6 independent blocks, "Simple & Straight" circuit design, Generous use of Large gold plated speaker terminals and other high-end components, Fully Balanced inputs, 30 kg "100%" Stereo 2005 "****" WHAT HI-FI? 2005	50,150.00
PMA-2000AE	160 W + 160 W (4 ohm) UHC-MOS Single Push Pull, Independent Preamp and Output Stage Power Supply plus High Current Dynamic power circuit, Twin transformers with Leakage Canceling mount, Power Amp Direct and Pre Out terminals, Wide Range Playback supporting DVD-A & SACD, Precision Signal Ground Circuit, Precision Mechanical ground construction, Chassis construction with 6 independent blocks, High Performance Phono EQ, Machined Gold plated Pin Jacks, Microprocessor Stop Mode, 24 kg "sehr gut" STEREOPLAY 2005	10,700.00
PMA-1500AE	140 W + 140 W (4 ohm) UHC-MOS Single Push Pull, Independent Preamp and Output Stage Power Supply plus High Current Dynamic power circuit, Twin transformers with Leakage Canceling mount, Power Amp Direct and Pre Out terminals, Wide Range Playback supporting DVD-A & SACD, Precision Signal Ground Circuit, Precision Mechanical ground construction, MM/MC Phono EQ, Machined Gold plated Pin Jacks, Microprocessor Stop Mode 14.6 kg. "EISA AWARD" BEST PRODUCT 2006-2007	5,380.00
PMA-700AE	2 x 100W (4 ohm), A & B speaker outputs, 6 inputs including dedicated phono input, High Current single push-pull circuitry, Microprocessor Stop Mode, Source Direct, 7kg.	2,330.00
PMA-500AE	2 x 70W (4 ohm), A & B speaker outputs, 6 inputs including dedicated phono input, High Current single push-pull circuitry, Microprocessor Stop Mode, Source Direct, 6.5kg.	1,550.00

AM-FM/DAB Stereo Receivers

DRA-700AEDAB	AM/FM RDS-Receiver 105Wx2 (4 ohms), Signal Level Divided Construction (SLDC), Wide-range play Capability for DVD-Audio or Super Audio CD, DAB Tuner , Electronic Source Selection, Video in/out terminal, Multizone, A-B speaker Switching, RDS, 56 Station AM/FM random preset memory, Dedicated iPod connectivity(ASD-1R), 9.7 kg.	3,450.00
DRA-700AE	AM/FM RDS-Receiver 105Wx2 (4 ohms), Signal Level Divided Construction (SLDC), Wide-range play Capability for DVD-Audio or Super Audio CD, Electronic Source Selection, Video in/out terminal, Multizone, A-B speaker Switching, RDS, 56 Station AM/FM random preset memory, Dedicated iPod connectivity(ASD-1R), 9.9 kg.	2,690.00
DRA-500AE	AM/FM RDS-Receiver 95Wx2 (4 ohms), Signal Level Divided Construction (SLDC), A-B speaker Switching, RDS, 56 Station AM/FM random preset memory, Dedicated iPod connectivity(ASD-1R), 9.0 kg.	2,059.00

AM-FM/DAB Stereo Tuners

!!! NOVO !!! TU-1800DAB	DAB/AM-FM Tuner , MPX filter, Low-impedance output circuit, RDS (RDS-EON) functions, High Performance Front End Rotary Operation Knob, 100 station random preset memory, 3.6 kg	2,490.00
TU-1500AE	AM-FM Tuner, MPX filter, Low-impedance output circuit, RDS (RDS-EON) functions, High Performance Front End Rotary Operation Knob, 100 station random preset memory, 3.6 kg	1,250.00

SACD/CD Players

DCD-SA1	2-channel SACD/CD Player, Advanced AL24 Processing, Original Drive Mechanism, High-accuracy Master Clock Oscillator, Fully Balanced Output using 4 DAC configuration, Triple floating Power Supply, 4-layer bottom plate construction, Cast iron insulator, Hybrid construction for all panels, Vibration resistant PC board design, Flexible in/out also functions as high-grade DAC, Pure Direct mode, 21.8 kg "95%" Stereo 2005, "*****" What Hi-Fi? 2005	47,175.00
DCD-2000AE	2-channel SACD/CD Player, Advanced AL24 Processing, Original Drive Mechanism, DAC Master Clock Design, Burr Brown DSD-1790 DACs, Complete separation of Digital and Analog Power Supply, Divided Panel Design, Vibration Resistant construction, Pure Direct mode, 13.3 kg "sehr gut" Stereoplay 2005	10,500.00
DCD-1500AE	2-channel SACD/CD Player, Advanced AL24 Processing, Original Drive Mechanism, DAC Master Clock Design, High-accuracy DACs, Complete separation of Digital and Analog Power Supply, Vibration Resistant construction, Pure Direct mode, 7.6 kg	5,190.00

CD Players

DCD-700AE	Advanced-Segment 24 bit D/A converters,AL24 Processing, 8 times over sampling, PureDirect mode, Pitch control, DADC Master clock design, Carefully designed construction to preserve audio signal purity, Support of CD-R/CD-RW (MP3/WMA) playback,4.2kg.	2,350.00
DCD-500AE	High-accuracy D/A converter, DAC Master clock design, Carefully designed construction to preserve audio signal purity, CD-R/RW Playback, 3.4kg.	1,390.00
DCM-500AE	5-CD Auto Changer, CD-R/RW playback, MP3 and WMA decoders, Advanced multi level noise shaping DAC, 8-times oversampling digital filter, remote control (in/out), Full selection of program playback, 3-mode random playback.	1,800.00

Turntable and turntable accessories

DP-300F	High-precision diecast aluminium turntable, Refined external design with gloss coating, Fully automatic system for easy operation, Straight tone arm to bring out the maximum performance of catridges with superior tracing capabilities, Includes high-grade MM cartridge, Built-in phono equaliser, Manual arm lifter, Replaceable cartridge(4.5-9.5g), Dedicated shell, 5.5kg.	2,190.00
DP-29F	High-precision diecast aluminium turntable, Automated system for easy operation, Built-in phono equaliser, 2.8kg.	990.00
DL-304	MC Cartridge, 0.18mV, 20HZ-75kHz, 40ohms, 7 g	2,600.00
DL-103R	The DL-103R is an updated version of the classic DL-103. It provides improved sound by using 6N copper coils wound with precision to the cantilever shaft. Audio lovers will delight with detail that is brought out by this outstanding phono cartridge.	2,300.00
DL-103	MC Cartridge, 0.3mV, 20HZ-45kHz, 40ohms, 8.5 g	1,070.00
DL-160	MC Cartridge, 1.6mV, 20HZ-50kHz, 160ohms, 4.8 g	980.00
DL-110	MC Cartridge, 1.6mV, 20HZ-45kHz, 160ohms, 8.5 g	800.00

Accessory

ASD-1R	iPod Docking Station	768.00
AK-P100	iPod Connecting Cable	300.00
ASD-3W	Wireless Control Dock for iPod with Ethernet Connectivity	1,530.00
ASD-3N	Control Dock for iPod with Ethernet Connectivity	1,170.00
RC-7000CI	Programmable Remote RF/IR Handset.	1,980.00
RC-7001RCI	Wireless 2-Way Data Remote Extender.	1,305.00

Headphones

AH-D5000	Closed Type Stereo Headphones	3,770.00
AH-D2000	Closed Type Stereo Headphones	1,970.00
AH-D1001	Closed Type Stereo Headphones	890.00
AH-C700	Inner Ear Stereo Headphones	1,251.00
AH-C751	Inner Ear Stereo Headphones	1,305.00
AH-C351	Inner Ear Stereo Headphones	315.00
AH-C551	Inner Ear Stereo Headphones	590.00
AH-D501	Stereo Headphones	439.00
AH-D301	Stereo Headphones	315.00
AH-C351	Inner Ear Stereo Headphones	315.00

Zastupnik za DENON, KEF, CELESTION, Q ACOUSTICS, QED & SYSTEMLINE :

Komteh d.o.o., web: www.komteh.hr, e-mail: audio@komteh.hr

Showroom: Zagreb, Trg Sportova 11, Tel.01/3650-452 fax.01/3091-028

Sve navedene cijene su informativnog karaktera. Komteh d.o.o. zadržava pravo promjena cijena i tehničkih karakteristika.

Navedene cijene odnose se na plaćanje gotovinom ili gotovinskom karticom